# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



# **GILLETTS'**

# Hardy Fern and Flower Farm.

# WHOLESALE TRADE LIST.

#### LOCATION.

I am situated on the line of the New Haven & Northampton division of the N. Y., N. H. & H. R. R., 5 miles south of Westfield, Mass., junction of the Boston & Albany R. R.; 100 miles west of Boston, and 100 miles north of New York.

#### TERMS.

Prices are in American money. 5 at 10 rates, 50 at 100 rates, 500 at 1,000 rates. Packing at cost.

One dollar is equal in value to a trifle more than four English

shillings, four German marks, or five francs.

All bills will be due upon receipt of goods, unless by special agree-

ments. Unknown parties should give good references.

Remit by draft on New York, or Post Office Order on Southwick, Mass. Foreign Remittances by International Post Office Orders on Westfield, Mass.

The packing season commences as soon as the plants can be got at in spring, about April 10, and lasts about six weeks, and in autumn as soon as plants are ripe, mostly from September until December.

#### CONTENTS.

Deciduous Trees and Shrubs	Z
Evergreen Trees and Shrubs,	5
Vines and Creepers,	6
Herbaceous Perennials,	6
Bog Plants,	2
Aquatic Plants,	13
Orchids, 1	13
Ferns, 1	4
Club Mosses, 1	5
Special Collection of Ferns,	6

All Shipments accompanied with certificate.

## EDWARD GILLETT,

Telephone.

Southwick, Mass., U. S. A.

# Deciduous Trees and Shrubs.

Nursery Grown Stock, except where noted.

Coll. signifies Collected Plants. S. Seedlings in seed bed.

Com dignification 2 (miles per	1	0	100	1,000
ACER Pennsylvanicum (Striped Maple)—				
2 to 3 ft. Coll.,	\$0	75		
spicatum (Mountain Maple)—				
2 to 3 ft. Coll.,		75	\$4 00	
AMELANCHIER Canadensis (Shadbush)—				
2 to 3 ft., XX,	2 (	00		
ARALIA pentaphylla 2 to 3 ft.,	1 :	50		
AZALEA arborescens—	2 (	20		
1 ft.,	3			
1 to 1½ ft., light grade,	9	00		
calendulacea (Flame-colored Azalea)—	2	00		
1 to 1½ ft.,	10			
2 to 3 ft., bushy,	10	00		
nudiflora (Purple Azalea)— 8 to 12 in., X,	1 :	25	6 00	
	2		10 00	
1 to 1½ ft., XX,	4	00	10 00	
6 to 12 in.,	1	25	7 00	
viscosa—	1	20	1 00	
1 to 1½ ft.,	1	50	8 00	
1½ to 2 ft.,	2		8 00	
2 to 3 ft., fine bushy clumps, \$1.25 each.	-	90		
BERBERIS purpurea (Purple Barberry)—	-		0.00	
2 to 3 ft., strong,	1	90	8 00	
Thunbergi—	0	0.0	10.00	
1½ to 2 ft., X, bushy,	2		10 00	
2 to 2½ ft., extra fine and bushy,	2			
Sieboldi 1½ to 2 ft., XX,vulgaris—	1	90		
1½ to 2 ft.,	1	05		
2 to 3 ft.,	2			
CEANOTHUS Americanus (New Jersey Tea). 1 ft.,	1		7 00	
CEPHALANTHUS occidentalis (Button Bush). 1 ft.,	1		1 00	
CLETHRA alnifolia (Sweet Pepper Bush)—	1	00		
1 ft.,	1	00	5 00	
COMPTONIA asplendifolia (Sweet Fern). Coll.,		50	3 00	
CORNUS—		00	0 00	Ψ10 00
panicutata—				
1½ to 2 ft.,	2	00	10 00	
sericea 2 ft.,		25	5 00	
stolonifera	- T			
2 ft.,	1	00	5 00	
CORYLUS Americanus (Wild Hazelnut). Coll., 2 ft.,		00		
CRATAEGUS crus-gali 1 to 2 ft.,		50	7 00	
DIERVILLA trifida (Bush Honeysuckle). 1 to 1½ ft.,				
XX,	1	25	7 00	
DIRCA palustrus (Leatherwood). 1 to 11/2 ft.,	1	50		

	10	100	1,000
EUONYMUS Americanus, var obovatus 8 to 12 in., X.,	\$1 00		
atropurpurea (Burning Bush). 1½ to 2 ft.,	1 50		
FORSYTHIA suspensa 2 to 3 ft.,	1 00		
viridissima 2 to 3 ft.,	1 00		
GAYLUSSACIA—			
resinosa (Black Huckleberry). 12 in., X,	1 50	\$6 00	
HAMAMELIS Virginica (Witch Hazel)—			
2 to 3 ft.,	2 00	12 00	
HYDRANGEA arborescens (Wild Hydrangea). 2 ft.,	1 25		
radiata 2 ft., light,	1 25		
grandiflora—			
1½ to 2 ft.,	1 25	6 00	
2 to 2½ ft., X,	1 50		
ILEX verticillata—			
1 to 2 ft., XX,	1 50		
2 to 2½ ft., XX,	2 50		
LAURUS Benzoin (Spice Bush)—			
1½ to 2 ft.,	1 25		
LONICERA ciliata (Fly Honeysuckle). 1 ft.,	1 25		
MYRICA cerifera (Bayberry)—			
1 to 1½ ft., bushy,	1 50	7 00	
1½ to 2 ft., XX,	2 00	10 00	
2 to 2½ ft., XX,	2 50		
NEMOPANTHES Canadensis (Mountain Holly)-			
1 to 1½ ft., X,	2 00		
PYRUS arbutifolius 1 to 1½ ft., X,	1 50		
RHODORA Canadensis—			
8 to 12 in.,	1 25	6 00	
1 to 1½ ft., XX,	2 00	0 00	
RHUS aromatica (Fragrant Sumach)—	2 00		
8 in seedlings,	75	3 00	\$25 00
8 to 12 in., X,	1 00	5 00	φ20 00
copallina (Dwarf Sumach). 1 ft. Coll.,	75	3 00	15 00
RHUS glabra (Smooth Sumach)—		0 00	10 00
2 to 3 ft. Coll.	75	3 00	15 00
typhina (Staghorn Sumach)—	10	5 00	19 00
2 to 3 ft. Coll.,	75	3 00	15 00
RIBES cynosbati (Wild Gooseberry). 1 to 2 ft.,	1 25	6 00	10 00
aureum 2 ft., yellow,	1 00		
prostratum (Fetid Currant). 1 ft. Coll,	75	4 00	
sanguinium (Red fl.). 2 ft.,	1 25		
ROSA Arkansana (Arkansas Rose). 1 to 11/2 ft.,	1 50		
blanda (Early Wild Rose). 2 ft.,	1 25	7 00	
blanda 2 to 3 ft.,	1 50	8 00	
Carolina (Swamp Rose). 2 ft.,	1 50	7 00	
lucida (Dwarf Wild Rose). 1 to 1½ ft.,	1 25	5 00	
lucida 1½ to 2 ft.,	1 50	8 00	
alba (Pure White). 1 to 2 ft., X,	2 00		
nitida 1 to 1½ ft., X,	1 50		

ROSA rugosa 1½ to 2 ft.   \$1 50	
Alba 2 to 2½ ft.,	
rubiginosa (English Sweetbrier).  2½ to 3 ft.,	
2½ to 3 ft.,	
Wichuriana (New Hardy Creeping Rose). 1 ft., 1 25           RUBUS odoratus (Flowering Raspberry). 2 to 3 ft., 1 00 5 00           occidentalis (Black Raspberry). Coll., 75 3 00           strigosus (Red Raspberry). 2 ft. Coll., 75 3 00           villosus (High Blackberry). 2 ft. Coll., 1 00           SAMBUSCUS Canadensis (Common Elder). 2 to 3 ft., 1 50 7 00           pubens (Red Berried Elder). 1 ft., 1 00 5 00           SPIRAEA Anthony Waterer 1½ ft., 1 50           murgaritae 1 to 1½ ft., 1 50           opulifolia 1½ to 2 ft., 1 50           opulifolia (Flesh colored), 2 ft. Coll., 75 4 00           Thunbergii 2 to 2½ ft, heavy, 3 00           tomentosa (Steeple Bush). 1 ft. Coll., 75 4 00           SYMPHORICARPUS           vulgaris— 2 ft., 2 00           alba 2 ft., 2 00           VACCINIUM Pennsylvanicum (Dwarf Blueberry)—           Coll., 1 00 5 00           vacillans (Low Blueberry). 1 ft., 1 25           corymbosum (Swamp Blueberry)—           1 ft., 1 00 5 00           1 ft., 1 00 5 00           1 ft., 1 00 5 00           vacillans (Low Blueberry). 2 50           3 ft., stro	
RUBUS odoratus (Flowering Raspberry). 2 to 3 ft., 1 00 5 00 occidentalis (Black Raspberry). Coll., 75 3 00 strigosus (Red Raspberry). 2 ft. Coll., 75 3 00 villosus (High Blackberry). 2 ft. Coll., 1 00 SAMBUSCUS Canadensis (Common Elder). 2 to 3 ft., 1 50 .7 00 pubens (Red Berried Elder). 1 ft., 1 00 5 00 SPIRAEA Anthony Waterer 1½ ft., 1 50 Margaritae 1 to 1½ ft., 1 50 opulifolia 1½ to 2 ft., 1 25 6 00 salicifolia (Flesh colored), 2 ft. Coll., 75 4 00 Thunbergii 2 to 2½ ft, heavy, 3 00 tomentosa (Steeple Bush). 1 ft. Coll., 75 4 00 SYMPHORICARPUS vulgaris (Indian Currant)— 1 ft., 75 4 00 SYRINGA vulgaris— 2 ft., 2 00 alba 2 ft., 2 00 salidans (Low Blueberry). 1 ft., 1 25 corymbosum (Swamp Blueberry)— 1 ft., 1 00 5 00 1 to 2 ft., bushy, XX, 2 50 3 ft., strong clumps, \$1.00 each. VIBURNUN acerifolium (Maple-leaved Virburnum)— 1 ft., 1 00 5 00 cassinoides—	
occidentalis         (Black Raspberry)         Coll.,         75         3 00           strigosus         (Red Raspberry. 2 ft. Coll.,         75         3 00           villosus         (High Blackberry). 2 ft. Coll.,         1 00           SAMBUSCUS Canadensis         (Common Elder). 2 to 3 ft.,         1 50         -7 00           pubens         (Red Berried Elder). 1 ft.,         1 00         5 00           SPIRAEA Anthony Waterer 1½ ft.,         1 50         -7 00         -7 00           Margaritae         1 to 1½ ft.,         1 50         -7 00         -	
Strigosus (Red Raspberry. 2 ft. Coll.,	
villosus (High Blackberry). 2 ft. Coll.,       1 00         SAMBUSCUS Canadensis (Common Elder). 2 to 3 ft.,       1 50       -7 00         pubens (Red Berried Elder). 1 ft.,       1 00       5 00         SPIRAEA Anthony Waterer 1½ ft.,       1 50         Margaritae 1 to 1½ ft.,       1 50         opulifolia 1½ to 2 ft.,       1 25       6 00         salicifolia (Flesh colored), 2 ft. Coll.,       75       4 00         Thunbergii 2 to 2½ ft, heavy,       3 00         tomentosa (Steeple Bush). 1 ft. Coll.,       75       4 00         SYMPHORICARPUS         vulgaris (Indian Currant)—         1 ft.,       2 00         alba 2 ft.,       2 00         VACCINIUM Pennsylvanicum (Dwarf Blueberry)—         Coll.,       1 00       5 00         vacillans (Low Blueberry). 1 ft.,       1 25         corymbosum (Swamp Blueberry)—         1 ft.,       1 00       5 00         1 ft.,       2 50         3 ft., strong clumps, \$1.00 each.         VIBURNUN acerifolium (Maple-leaved Virburnum)—         1 ft.,       1 00       5 00 <td></td>	
SAMBUSCUS Canadensis (Common Elder)	
Pubens (Red Berried Elder) 1 ft.,	
SPIRAEA Anthony Waterer 1½ ft.,	
Margaritae 1 to 1½ ft.,	
opulifolia 1½ to 2 ft.,       1 25 6 00         salicifolia (Flesh colored), 2 ft. Coll.,       75 4 00         Thunbergii 2 to 2½ ft, heavy,       3 00         tomentosa (Steeple Bush). 1 ft. Coll.,       75 4 00         SYMPHORICARPUS         vulgaris (Indian Currant)—         1 ft.,       75 4 00         SYRINGA         vulgaris—         2 ft.,       2 00         alba 2 ft.,       2 00         VACCINIUM Pennsylvanicum (Dwarf Blueberry)—         Coll.,       1 00 5 00         vacillans (Low Blueberry).       1 ft.,       1 25         corymbosum (Swamp Blueberry)—         1 ft.,       1 00 5 00         1 ft.,       2 50         3 ft., strong clumps, \$1.00 each.         VIBURNUN acerifolium (Maple-leaved Virburnum)—         1 ft.,       1 00 5 00         cassinoides—	
salicifolia (Flesh colored), 2 ft. Coll.,       75       4 00         Thunbergii 2 to 2½ ft, heavy,       3 00         tomentosa (Steeple Bush). 1 ft. Coll.,       75       4 00         SYMPHORICARPUS         vulgaris (Indian Currant)—         1 ft.,       75       4 00         SYRINGA         vulgaris—         2 ft.,       2 00         alba 2 ft.,       2 00         VACCINIUM Pennsylvanicum (Dwarf Blueberry)—         Coll.,       1 00       5 00         vacillans (Low Blueberry).       1 ft.,       1 25         corymbosum (Swamp Blueberry)—         1 ft.,       1 00       5 00         1 to 2 ft., bushy, XX,       2 50         3 ft., strong clumps, \$1.00 each.         VIBURNUN acerifolium (Maple-leaved Virburnum)—         1 ft.,       1 00       5 00         cassinoides—	
Thunbergii 2 to 2½ ft, heavy, 3 00 tomentosa (Steeple Bush). 1 ft. Coll., 75 4 00  SYMPHORICARPUS vulgaris (Indian Currant)—  1 ft., 75 4 00  SYRINGA vulgaris— 2 ft., 2 00 alba 2 ft., 2 00 VACCINIUM Pennsylvanicum (Dwarf Blueberry)— Coll., 1 00 5 00 vacillans (Low Blueberry). 1 ft., 1 25 corymbosum (Swamp Blueberry)— 1 ft., 1 00 5 00 1 to 2 ft., bushy, XX, 2 50 3 ft., strong clumps, \$1.00 each. VIBURNUN acerifolium (Maple-leaved Virburnum)— 1 ft., 1 00 5 00 cassinoides—	
tomentosa (Steeple Bush). 1 ft. Coll., 75 4 00  SYMPHORICARPUS  vulgaris (Indian Currant)—  1 ft., 75 4 00  SYRINGA  vulgaris—  2 ft., 2 00  alba 2 ft., 2 00  VACCINIUM Pennsylvanicum (Dwarf Blueberry)—  Coll., 1 00 5 00  vacillans (Low Blueberry). 1 ft., 1 25  corymbosum (Swamp Blueberry)—  1 ft., 1 00 5 00  1 to 2 ft., bushy, XX, 2 50  3 ft., strong clumps, \$1.00 each.  VIBURNUN acerifolium (Maple-leaved Virburnum)—  1 ft., 1 00 5 00  cassinoides—	
SYMPHORICARPUS   vulgaris (Indian Currant)   1 ft.,	
vulgaris (Indian Currant)—         1 ft.,       75 4 00         SYRINGA         vulgaris—       2 ft.,       2 00         alba 2 ft.,       2 00         VACCINIUM Pennsylvanicum (Dwarf Blueberry)—         Coll.,       1 00 5 00         vacillans (Low Blueberry)       1 ft.,       1 25         corymbosum (Swamp Blueberry)—         1 ft.,       1 00 5 00         1 to 2 ft., bushy, XX,       2 50         3 ft., strong clumps, \$1.00 each.         VIBURNUN acerifolium (Maple-leaved Virburnum)—         1 ft.,       1 00 5 00         cassinoides—	
1 ft., 75 4 00  SYRINGA  vulgaris—  2 ft., 2 00  alba 2 ft., 2 00  VACCINIUM Pennsylvanicum (Dwarf Blueberry)—  Coll., 1 00 5 00  vacillans (Low Blueberry) 1 ft., 1 25  corymbosum (Swamp Blueberry)—  1 ft., 1 00 5 00  1 to 2 ft., bushy, XX, 2 50  3 ft., strong clumps, \$1.00 each.  VIBURNUN acerifolium (Maple-leaved Virburnum)—  1 ft., 1 00 5 00  cassinoides—	
SYRINGA         vulgaris—         2 ft.,       2 00         alba 2 ft.,       2 00         VACCINIUM Pennsylvanicum (Dwarf Blueberry)—         Coll.,       1 00       5 00         vacillans (Low Blueberry).       1 ft.,       1 25         corymbosum (Swamp Blueberry)—         1 ft.,       1 00       5 00         1 to 2 ft., bushy, XX,       2 50         3 ft., strong clumps, \$1.00 each.         VIBURNUN acerifolium (Maple-leaved Virburnum)—         1 ft.,       1 00       5 00         cassinoides—	
vulgaris—         2 ft.,       2 00         alba 2 ft.,       2 00         VACCINIUM Pennsylvanicum (Dwarf Blueberry)—         Coll.,       1 00       5 00         vacillans (Low Blueberry).       1 ft.,       1 25         corymbosum (Swamp Blueberry)—         1 ft.,       1 00       5 00         1 to 2 ft., bushy, XX,       2 50         3 ft., strong clumps, \$1.00 each.         VIBURNUN acerifolium (Maple-leaved Virburnum)—         1 ft.,       1 00       5 00         cassinoides—	
2 ft., 2 00 alba 2 ft., 2 00 VACCINIUM Pennsylvanicum (Dwarf Blueberry)—  Coll., 1 00 5 00  vacillans (Low Blueberry) 1 ft., 1 25  corymbosum (Swamp Blueberry)—  1 ft., 1 00 5 00 1 to 2 ft., bushy, XX, 2 50 3 ft., strong clumps, \$1.00 each.  VIBURNUN acerifolium (Maple-leaved Virburnum)—  1 ft., 1 00 5 00  cassinoides—	
alba 2 ft.,       2 00         VACCINIUM Pennsylvanicum (Dwarf Blueberry)—       1 00 5 00         Coll.,       1 25         vacillans (Low Blueberry).       1 ft.,       1 25         corymbosum (Swamp Blueberry)—       1 1 00 5 00       1 to 2 ft., bushy, XX,       2 50         3 ft., strong clumps, \$1.00 each.       3 ft., strong clumps, \$1.00 each.       1 00 5 00         viburnum acerifolium (Maple-leaved Virburnum)—       1 ft.,       1 00 5 00         cassinoides—       1 00 5 00	
VACCINIUM Pennsylvanicum (Dwarf Blueberry)—         Coll.,       1 00 5 00         vacillans (Low Blueberry)       1 ft.,       1 25         corymbosum (Swamp Blueberry)—       1 ft.,       1 00 5 00         1 to 2 ft., bushy, XX,       2 50         3 ft., strong clumps, \$1.00 each.         VIBURNUN acerifolium (Maple-leaved Virburnum)—       1 ft.,       1 00 5 00         cassinoides—       1 00 5 00	
Coll.,	
vacillans (Low Blueberry). 1 ft.,       1 25         corymbosum (Swamp Blueberry)—       1         1 ft.,       1 00 5 00         1 to 2 ft., bushy, XX,       2 50         3 ft., strong clumps, \$1.00 each.         VIBURNUN acerifolium (Maple-leaved Virburnum)—         1 ft.,       1 00 5 00         cassinoides—	
corymbosum (Swamp Blueberry)—         1 ft.,       1 00 5 00         1 to 2 ft., bushy, XX,       2 50         3 ft., strong clumps, \$1.00 each.         VIBURNUN acerifolium (Maple-leaved Virburnum)—       1 00 5 00         cassinoides—       1 00 5 00	
1 ft.,	
1 to 2 ft., bushy, XX,	
1 to 2 ft., bushy, XX,	
VIBURNUN acerifolium (Maple-leaved Virburnum)—       1 ft.,	
1 ft.,	
cassinoides—	
cassinoides—	
11/ to 9 ft	
1 ½ 100 4 It.,	
2 to 3 ft., 3 00	
dentatum-	
2 to 3 ft., bushy,	
3 to 4 ft., XX, 3 00	
lantanoides (Hobble Bush). 1 to 3 ft. Coll., . 75 4 00	
Lentago (Sheepberry)—	
1 to 1½ ft., 1 25	
2 to 3 ft., XX, 3 00	
3 to 4 ft., XXX, \$1.00 each.	
Opulus (Cranberry Tree). 2 ft.,	
2 to 3 ft., 3 00	
4 to 5 ft., XXX, \$1.00 each.	
sterilis (Snowball Tree). 2 to 2½ ft., 1 50	
pubescens (Downy Arrow-wood. 1 ft., 1 00 5 00	
tomentosum 1½ ft., X,	

	10	100	1,000
VITIS cordifolia (Frost Grape). 1 to 2 ft.,	\$1 00		
aestavilis 1 to 2 ft.,	1 00		
Labruska 1 to 2 ft.,	1 00		
ZANTHORHIZA apiifolia 1 ft.,	1 00	\$5 00	

# Evergreen Trees and Shrubs.

	10	100	1,000
ABIES concolor (White Fir)—			
1 to 2 ft.,	\$5 00		
Nordmanniana 2 ft.,	5 00		
ANDROMEDA polyfolia Wet places.			
1 to 1½ ft.,	1 50		
Coll.,	75	\$3 00	
CASSANDRA calyculata (Leather Leaf)—		The state of the s	
8 to 12 in.,	1 00	5 00	
1 to 1½ ft.,	1 50	8 00	
1 to 2 ft. Coll.,	75	3 00	
EUONYMUS radicans 1 to 1½ ft., X,	1 50		
variegata 1 to 1½ in., X,	1 50		
HYPERICUM patulum 8 to 12 in.,	1 25		
JUNIPERUS communis (Prostrate Juniper)—	0.00		
1 to 1½ ft.,	2 00		
aurea 1 to 1½ ft.,	2 00		
Virginiana (Red Cedar). 2 ft.,	1 50		
KALMIA angustifolia (Sheep Laurel). 1 ft., X,	1 50		
glauca (Pale Laurel). 1 ft., XX,	2 00		
latifolia (Mountain Laurel)—	mar June		
12 to 18 in., X,	3 00		
1½ to 2 ft., XX,	6 00		
LEDUM latifolium (Labrador Tea). 8 to 12 in., X,	1 25		
PICEA Canadensis (Hemlock). 1½ to 2 ft.,	2 00		
excelsa (Norway Spruce)—			
1 ft.,	1 00		
Douglasii (Pseudatsuga)—	W. 20%		
1½ to 2 ft., X,	2 50		
nigra (Black Spruce). 2 to 2½ ft.,	2 50		1 190
pungens (Col. Blue Spruce). 2 to 2½ ft., XX, \$		32.00 each.	
RETINOSPORA plumosa 1½ to 2 ft.,	2 50		
2 to 3 ft.,	4 00		
aurea 1½ to 2 ft.,	2 50		
2 to 3 ft.,	4 00		
RHODODENDRON catawbiense 1½ to 2 ft.,	3 00		
maximum (Great Laurel)—	1.00		
8 to 12 in.,	1 00		
1 to 1½ ft.,	2 00		
1½ to 2 ft.,	3 00		
2 to 3 ft.,	5 00		
3 to 4 ft.,	8 00		

e EDWARD GIBBETTS WHODESABE TR	ADE L	151.	
	10	100	1,000
TAXUS Canadensis (American Yew)—	de la		
1 to 2 ft. Coll.,	\$0 50	\$3 00	\$15 00
8 to 12 in., XX,	1 25	6 00	
THUYA occidentalis (Aborvitae). 1 ft.,	75		
Vines and Creepe	re		
Villes and Orcepe		100	1 000
AMEDIT ODGEG + C.11 (TILLIA	10	100	1,000
AMPELOPSIS quinquefolia (Virginia Creeper)—			
8 to 12 in. Coll.,	\$1 00		
CELASTRUS scandens (Bittersweet). 1 to 2 ft.			
Coll.,	75	\$4 00	\$15 00
CLEMATIS coccinnea (Scarlet Clematis). Fine,			
strong,	1 50	7 00	
paniculata Pure white flowers, strong plants,	2 50	-	
Virginiana (Virgin's Bower). Strong,	1 25		
LONICERA bracypoda 1 to 2 ft.,	1 00		
aurea 1 ft.,	1 00		
MENISPERMUM Canadense (Canadian Moonseed)—	1 00		
Coll.,	1 00	4 00	
RUBUS hispidus (Running Swamp Blackberry).	1 00	1 00	
	50	0.00	10.00
Coll.,	50	2 00	10 00

### Herbaceous Perennials.

3 00

75

Coll., .....

Canadensis (Low Blackberry). Fine Fruit.

For the most part in the following list of Hardy Herbaceous Perennials, I offer nursery-grown plants. Yet some of the North American Wild Flowers are collected in their native habitat; they are, as a rule, easily transplanted.

1 yr., means transplanted and grown in nursery one year. Coll., collected.

	10	100	1,000
ACHILLEA-			
millefolium roseum X,	\$1 00	\$5 00	
The Pearl Pure White, X,	1 00	5 00	
ACTAEA alba (White Baneberry). Coll.,	1 00	5 00	
rubra (Red Baneberry). Nice plants Coll.,	1 00	5 00	
ALYSSUM argenteum X. All summer;	1 25		
saxatile compactum 1 yr., X,	75	4 00	
ANEMONE nemorosa Flowers white, clumps. Coll.,	75	4 00	
Pennsylvanica Large white flowers,	75	4 00	
sylvestris Waxy white flowers,	1 00		
ANTHEMIS tinctoria (Golden Marguerite). 1 yr.,	75	4 00	
montana, 1 yr.,	1 00	5 00	
APIOS tuberosa (Wild Bean). Purple flowers. Coll.,	50	2 00	\$8 00
AQUILEGIA alpina 1 to 2 ft., flowers blue, 2 yrs.,	1 50		
chrysantha Large yellow, 1 yr.,	1 00	5 00	
vulgaris 2 yrs., X,	1 50		
Canadensis Red and yellow,	1 00	5 00	

The property of the property o		10	10	0	1,000
ARISAEMA triphyllum (Wild Turnlip),	\$0	50	\$3	00	100
ARABIS albida 1 yr., white, X,	1	00			
ARMERIA laucheana 1 yr., purple,	1	00			
ASARUM Canadensis (Wild Ginger). Purple flowers,		50	3 (	00	<b>\$</b> 15 00
ASCLEPIAS incarnata Flowers purple, showy,	1	00	5 (	00	
tuberosa 1 yr., trans.,		75	4 (		
2 yrs., trans.,	1	25	5 (	00	
ASTER alpina 2 yrs., large violet,	1	00			
ericoides Flowers white, on wandlike stems.					
Coll.,		75	4 (		15 00
laevis Large dark blue flowers,		00	5 (		15 00
multiflorus Small white flowers, fine. Coll., Novae Angliae (N. E. Aster). Large purple		75	4 (	00	15 00
flowers, 2 yrs., X,	1	00	5	00	
patens Flowers deep purple, low growing.					
X;	1	0.0	5 (		
undalatus Blue, dry woods. Coll.,	1.		5		20 20
asters In var. mixed. Coll.,		75	. 4 (		20 00
BAPTISIA tinctoria Yellow, dry soils, XX,	1		6' (		
BOLTONIA asteroides,	1	00	5 (	00	
CALLIRRHOE involucrata Flowers large, crimson,					
fine,	1				
CAMPANULA Carpatica	1		5 (		
Carpatica alba	1	$\frac{25}{75}$	5 (		
medium (Canterbury Bells). 1 yr., persicifolia 2 yrs., 2 ft.,	1		5 (		
alba pure white,	1				
rotundifolia (Harebell), X,	1	50	7 (	00	
CARDAMINE pratinsis 2 yrs.,	1	00	5 (	00	
CAULOPHYLLUM thalictroides (Blue Cohosh).					
Strong,	1	25	5 (	00	
CENTAUREA montana Blue, 2 yrs.,	1	25	5 (	00	
CERASTIUM Biebersternii 2 yrs.,	1	25			
CHELONE glabra (Snake-Head). White flowers.					
Coll.,		75	4 (	00	
CHIMAPHILA maculata (Spotted Wintergreen).					
Coll.,		75	4 (	00	
CIMICIFUGA racemosa (Black Snake-root).		0.0	- /		
White flowers, X,	1		5 (		
CLAYTONIA Virginica (Spring Beauty),		50	3 (		
CLINTONIA borealis Coll.,		50	3 (		
CONVALLARIA majalis (Lily of the Valley). X,	1		5 (		
Miellez's Revelation X,	1		5 (		
COPTIS trifolia (Goldthread). Small white flowers,		75	3 (		
COREOPSIS lanceolata X,	1	00	5 0	00	
CORNUS Canadensis (Dwarf Cornel). Fine clumps.					
Coll.,	1	25	5 0	00	

		10	10	0 1,000
DELPHINIUM grandiflorum (Larkspur). Low grow-		10	10	0 1,000
ing, very beautiful,	\$1	00	\$4 (	00
grandiflorum album White,		25		
Llight blue,	1	25		
formosum Tall, 4 to 6 ft.,	1	25	5 (	00
DENTARIA diphylla (Pepper Root),		50	3 (	00
laciniata Flowers pale purple,		75	4 (	00
DIANTHUS barbatus (Sweet William). 1 yr.,		75	4 (	00
plumarius 1 yr.,		75	4 (	00
Double Pink Fine, 1 yr.,		75		
DIANTHUS Single Pink 1 yr.,		75		
deltoides (Maiden Pink). 2 yrs.,	1	00	5 (	00
DICENTRA eximia Beautiful flowers,	1	00	5 (	00
DIGITALIS gloxonoides 1 yr.,		75	4 (	00
DODECATHEON Meadia (Shooting Star). Fine plants,	1	00	5	00
EPIGAEA repens (Trailing Arbutus). Fine plants.				
Coll.	1	00	5 (	00
EPILOBIUM angustifolium Coll.		75	4 (	
ERYTHRONIUM Americanum (Dog Tooth Violet)—				
Bright yellow flowers. Coll., XX,	1	00	5 (	00
albidum Flowers white,	1	00	5 (	00
EUPATORIUM ageratoides (White Snake-root). X,	1	25	5 (	00
EUPHORBIA corollata (Flowering Spurge). Fine,				
white,	1	25	5 (	
GAILLARDIA grandiflora 1 yr.,		75	4 (	00
GALAX aphylla Evergreen, tinted leaves, white flow-				
ers,	1	00	5 (	00
GAULTHERIA procumbens (Wintergreen)—		0.0		20
Clumps. Coll.,		00	5 (	
GENTIANA Andrewsii (Closed Gentian). Dark blue, GERANIUM macultaum (Crane's-bill),		00	5 (	
GOLDEN ASTER (Chrysopsis)—	1	00	9 (	0
8 to 12 in., clumps,	1	25	5 (	00
GYPSOPHILA paniculata 2 yrs.,		00	5 (	
HEPATICA triloba, Round leaved, flowers early,		00		
Coll., X, clumps,	1	00	5 (	00
acultiloba, acute lobed. Coll, X, clumps,		00	5 (	00
HELENIUM autumnale 1 yr.,	1	00		
HEMEROCALLIS flava	1	00		
HEUCHERA sanguinea Fire red,	1	00		
HIBISCUS Moscheutos rosea—				
Flowers large, rose colored, 1 yr.,	1	25	5 (	00
Crimson Eye-				
Flowers large, white colored, with			- Miles	
crimson eye, 1 yr.,	1	25	5 (	00
HOUSTONIA coerulea (Bluets)—				
White and purple, tufts. Coll		50	3 (	
purpurea Waxy white flowers, clumps,		7.5	4 (	
HYDRASTIS Canadensis (Orange Root). Rare,		25	5 (	)0
IBERIS sempervirens 1 yr.,	1	00		

•			
IDIS originate Light blue flowers f in VV	10 \$1 00	100 \$5 00	1,000
IRIS cristata Light blue flowers, 6 in., XX,	ф1 00	\$5 VV	
pumila (Dwarf Iris)— alba 2 yrs.,	1 00	5 00	
azurea Blue, 2 yrs.,	1 00	5 00	
sulphurea 2 yrs.,	1 00	5 00	
Germanica (German Iris). Named sorts, X,	1 50		
Siberica Dark blue or white, 1 to 3 ft., clumps.	1 00	5 00	
verna Crested yellow, low growing,	1 00	5 00	A = 00
versicolor Large blue flowers, 1 to 2 ft. Coll.,	50	3 00	\$15 00
Kaempferi (Japan Iris). Named sorts, XX,	1 50	10 00	
LIATRIS graminifolia Coll.,	$\begin{array}{ccc} 1 & 00 \\ 1 & 00 \end{array}$	$\begin{array}{ccc} 5 & 00 \\ 5 & 00 \end{array}$	
scariosa (Button Snakeroot). 2 ft.,	1 00	5 00	
	1 50	5 00	
LILUM auratum 7 to 9 in:, bulbs,	1 00	4 00	35 00
Philadelphicum (Wild Orange Red Lily),	1 00	4 00	35 00
superbum Tall, 4 to 8 ft.,	1 00	5 00	
tenuifolium Fine bulbs,	1 00	5 00	
Wallacei,	1 00		
LINNAEA borealis Coll.,	75	4 00	
LINUM Austriacum,	1 25	5 00	
LOBELIA cardinalis (Cardinal Flower.) Flowers			
red, X. Coll.,	1 00	4 00	
syphilitica (Great Blue Lobelia). Fine Plants,	1 00	4 00	
LUPINUS perennis (Wild Lupine). Coll.,	. 50	3 00	
LYCHNIS alpina Tufts with pink flowers, 1 yr.,	1 00	4 00	
Haageana Scarlet, 2 yrs.,	1 25	5 00	
chalcedonica 2 yrs.,	1 25	5 00	
viscaria 1 ft., 2 yr., flowers red,	1 00	5 00	
splendens (Ragged Robin). 2 yrs., clumps,	1 25	5 00	
LYTHRUM roseum superbum, 2 yrs., strong,	1 25	5 00	
pycnostachya (Kansas Gay Feather). Fine	1 00	5 00	
MALVA moschata (Musk Mallow). 2 yrs.,	1 25	5 00	
MENTHA piperita (Peppermint),	1 00	4 00	
viridis (Spearmint),	1 00	4 00	
MERTENSIA Virginica (Virginia Cowslip). Estab-			
lished,	1 00	5 00	
MITCHELLA repens (Partridge Berry). Clumps. X,	1 50	7 00	
MITELLA diphylla (Bishop's Cap). Nice for rockery,	50	3 00	
MONARDA didyma Bright red flowers,	1 00	5 00	
alba Pure white,	1 25		
plants,	1 00	5 00	
OENTHIRA fruticosa major 2 yrs., large yellow,	1 00	5 00	
Missouriensis,	1 00	5 00	
speciosa 2 yrs., white,	1 00		
OXALIS acetosella White flowers, purple veins,	50	3 00	
violacea Flowers pink, fine dark foliage,	50	3 00	
PAEONIA Clumps, 3 to 5 eyes,	2 00		

	10	100	1,000
PAPAVER nudicaule (Iceland Poppy). 1 yr., mixed,	\$1 00	<b>\$</b> 5 00	
Orientalis Oriental Poppy, 2 yrs., mixed,	1 25		
PARNASSIA Caroliniana Large white flowers,	1 00	4 00	
PHLOX reptans Red,	1 00	4 00	
divaricata Blue,	1 00	4 00	
amoena (Dwarf Phlox),	1 00	5 00	
pilosa, subulata (Moss Pink). X,	$\begin{array}{ccc} 1 & 00 \\ 1 & 00 \end{array}$	5 00 5 00	
alba Pure white, X,	1 00	5 00	
PHLOX HYBRID (dicussata)—	1 00	3 00	
In about twenty named varieties, including the			
dwarf sorts, clumps,	1 50		
mixed sorts,	1 25		
PLATYCODON autumale Double, 3 yrs.,	1 50		
grandiflorum album Tall, white, 3 yrs.,	1 50		
Mariesi 2 yr.,	1 00	5 00	
alba 2 yr.,	1 00	5 00	
PODOPHYLLUM peltatum (Mandrake),	1 25	5 00	
POLYGALA paucifolia (Fringed Polygala). Coll.		0 00	
Clumps,	1 00	5 00	
POLYGANATUM biflorum (Solomon's Seal),	75	4 00	
PYRETHRUM corymbosum 2 ft., white flowers, 2	10	4 00	
yrs.,	1 25	5 00	
uliginosum (Great Ox-eye Daisy),	1 25	5 00	
roseum hybridum 2 yrs.,	1 25	5 00	
PRIMULA auricula 2 yrs.,	1 00	5 00	
veris Mixed, 2 yrs., X,	1 00	5 00	
RHEXIA Virginica (Meadow Beauty),	75	3 00	
RUDBECKIA lanceolata (Golden Glow), Clumps, XX,	1 00	5 00	
SANGUINARIA Canadensis (Blood Root). Coll., X,	1 00	4 00	
SAPONARIA officinalis (Bounding Bet),	1 00	4 00	
SAXIFRAGA palmata White, shady places,	1 00		
SEDUM (Stone-crop)—			
DWARF VARIETIES Suitable for rock work,			
carpet bedding and edging in dry			
soils.			
acre 3 in., flowers yellow,	50	3 00	
album 4 to 6 in., white,	75	$\begin{array}{cccc} 4 & 00 \\ 4 & 00 \end{array}$	
sexangular yellow, small leaved,  Kamtschaticum 4 to 6 in., yellow,	$75 \\ 1 00$	4 00	
Lydium glaucum 3 to 4 in., pink,	75	4 00	
Stoloniferum 6 in., pink	1 00	1 00	
coccineum crimson,	1 00		
ternatum 3 to 4 in., white.	75		
TALL VARIETIES—			
Japonicum Macrophyllum Waxy white,	1 25		
Maximowicii 1 ft., yellow,	1 00		
reflexum 1 ft., yellow,	1 00		
Spectabile 1 to 2 ft., rose,	1 25		

		10	100	. 1,000
SHORTIA galacifolia X,	\$1	50	\$8 00	
SILENE Virginica (Fire Pink),		00		
	1	00	4 00	
SOLIDAGO Canadensis. Coll, open sun,	1	00	4 00	
caisia 2 ft., dry woods,	1	00	4 00	
nemoralis 1 ft., dry open places,	1	00	4 00	
odora (Sweet Goldenrod). Very desirable				
for open places, especially near				
the sea,	. 1	25	5 00	
solidagos in var. Coll.,	1	00	4 00	\$20 00
SPIRAEA Lobata 2 to 3 ft.,	-1	00		
Japonica Strong clumps, XX,	1	50	8 00	
SHASTA Daisy 2 yrs., X,	1	00		
STOKSIA Cyanea (Cornflower Aster). 2 yrs.,	1	25	5 00	
STREPTOPUS rosens (Twisted Stalk). Rose,	1	00	4 00	
STYLOPHORUM diphyllum 18 in., 2 yrs., yellow,	1	25	4 00	
THALICTRUM anemonoides (Rue Anemone)—				
9 in., white,	1.	00	4 00	
dioicum 1 to 2 ft., purple flowers, desirable,		75	4 00	
cornuti (Tall Meadow Rue). 2 to 3 ft., white,	1	00	5 00	
TIARELLA cordifolia 6 in., small white flowers. Coll.,		50	3 00	
TRADESCANTIA Virginica (Spiderwort). Blue,		75	4 00	
TRILLIUM cernuum Nodding white flowers, 1 ft.,	1	00		
grandiflorum Pure white flowering bulbs, X,		50	2 00	12 00
Extra strong bulbs,	1	0.0 ~	5 00	
erectum Dark purple flowers, fine bulbs, X,	1	00	4 00	
var. album Greenish white flowers, X,	1	00	4 00	
nivale (Small White Trillium),	1	00	5 00	
recurvatum Leaves spotted, purple flowers,	. 1	25	5 00	
sessile Flowers dark purple, desirable,	1	25	5 00	
erythrocarpum (Painted Trillium). Coll.,	1	25	5 00	
UVULARIA grandiflora (Large Bellwort). Yellow,		50	3 00	15 00
sessilifolia Sessile leaves, pretty,		50	3 00	15 00
VALERIAN officinale Flesh color, 2 yrs.,	1	25	5 00	
VERONIA Noveboracensis (Iron Weed). Purple				
flowers in small heads, 2 yrs.,	1	$\frac{1}{25}$	5 00	
VERONICA incana 8 in., blue, 1 yr.,	1	00	5 00	
longifolia 2 yrs.,	1	0.0	5 00	
VINCA minor (Common Periwinkle),		75	4 00	
alba Pure white,	1	00		
variegata Variegated leaves, X,	1	25	5.00	
VIOLA Canadensis White and purple flowers,		75	4 00	
septrentrionalis.				
A violet of very vigorous growth, leaves				
large and full, flowers single, white				
with purple veins, borne in great pro-				
fusion, not evergreen,	1	25		
Californica (California Violet),		00		
pubescens Flowers yellow, dry soils. Coll		00	4 00	
rotundifolia Flowers yellow, moist soils, Coll.	1	75	4 00	
blanda (Sweet White Violet). Wet, open places,		75	4 00	
winder (Sweet Willie Violet). Wet, open places,			1 00	

	10	100	1,000
VIOLA canina var. sylvestris (Dog Violet). Blue. Coll.,	\$0.75	\$4 00	
cuculata,	75.	4 00	
cornuta Purple flowers,	75		
Pure white,	75		
pedata (Bird's Foot Violet). Large blue flowers,			
delights in a sandy soil, clumps,	1 00	5 00	
var. bicolor Beautiful flowers,	1 00	4 00	

### BOG PLANTS.

#### THESE PLANTS ARE SUITABLE FOR MOIST SITUATIONS.

	10	100	1,000
ACORUS calamus (Sweet Flag). 2 ft. Coll.,	\$0.75	\$3 00	
variegatus Leaves striped with white,	1 00	5 00	
CALLA palustris (American Calla). Fine for bog.	1 00	0 00	
Coll.,	75	3 00	
CALOPOGON See orchids.	10	9 00	
CALTHA palustris Large yellow flowers, bog or			
garden,	75	3 00	
CYPRIPEDIUM parviflorum See orchids.	. 10	5 00	
Spectabile See orchids.			
DARLINGTONIA Californica (Cal Pitcher Plant),	2 50		
DIONAEA muscipula (Venus' Fly Trap). Flowers	2 50		
	1 00	4 00	
white,  DROSERA filiformis (Thread-Leaved Sundew), Neat,	50	3 00	
	50	3 00	
longifolia Small white flowers, bog,		3 00	
rotundifolia Round leaves, bog,	50	3 00	
HABENARIA bleparioglottis See orchids.			
ciliaris See orchids.			
HELONIAS bullata (Stud Flower). Beautiful pink	4 00	= 00	
flowers,	1 00	5 00	
MENYANTHES trifoliata (Buck Bean). Coll.,	50	3 00	
POGONIA ophioglossoides See orchids.			
SARRACENIA purpurea (Pitcher Plant). Red flow-			
ers. Coll.,	1 00	4 00	
Drummondi Flowers purple, leaves 1—2 ft., .	2 00	10 00	
flava (Trumpet Leaf),	1 50	6 00	
Psittacina (Parrot-Beaked Pitcher Plant).			
Flowers purple,	2 00	10.00	
rubra (Red-Flowered Trumpet Leaf). Fine			
clumps,	1 50	6 00	
variolaris Spotted leaved, flowers yellow,	1 50	6 00	
TYPHA latifolia (Cat-Tail). 2 to 4 ft. Coll.,	1 00	5 - 00	
VACCINIUM macrocarpon (American Cramberry).			
Coll.,	75	3 00	
,			

#### SHRUBS DESIRABLE FOR THE BOG GARDEN.

Andromeda polifolia 1 ft. Azalea viscosa 4 to 10 ft. Cassandra calyculata 1 ft. Cephalanthus occidentalis 4 ft. Ilex verticillata 3 ft. Kalmina angustofolia 1 ft. glauca 2 ft. Ledum latifolium 2 ft. Nemopanthes Canadensis 4 ft. Nesaea verticillata 2 ft. Pyrus arbutifolia 5 ft. Rhodora Canadensis 1 ft. Vaccinium stramineum 3 ft. corymbosum 5 to 10 ft.

### AQUATIC PLANTS.

	10	100	1,000
BRASENIA peltata Small floating leaves, water. Coll.,	\$0 75	\$3 00	
LIMNANTHEMUM lacunosum (Floating Heart)-			
Water, Coll.,	75	4 00	
NASTURTIUM officinale (True Water Cress). Coll.,	75	3 00	
NESAEA verticillata A fine water shrub. Coll.,	1 00	5 00	
NUPHAR advena (Common Yellow Lily). Large	1 00	0 00	
roots. Coll.,	1 0.0	5 00	
NYMPHAEA odorata (White Water Lily). Large	1 0,0	9.00	
roots. Coll.,	1 00	5 00	
minor Smaller flowers. Coll.,	1 00	5 00	
ORONTIUM aquaticum Small plants, velvety leaves.			
Coll.,	75	4 00	
PELTANDRA Virginica (Water Arum). A fine water			
plant,	- 1 00	5 00	
PONTEDERIA cordata Spikes of blue flowers in wa-	_ 00	0.00	
	1 00	- 5 00	
ter. Coll.,	1 00	5 00	

## ORCHIDS.

I offer in the following list of Orchids the greater share of the most desirable for cultivation found in the United States. Most of them are taken from their native habitat and transplanted into soil best adapted for their growth.

Aplectrum hyemale Fine for moist shades	\$1	00 -	\$5	00
Calopogon pulchellus Desirable for the bog. Coll.,	T -	00		00
Calypso borealis Showy pink flowers, damp shades.	-		-	0 0
Coll.,	1	25	5	00
Cypripedium acaule (Red Lady Slipper). Dry shades,		25		00
acaule Extra strong,	2	00		0 0
Californicum,		00	15	00
fasciculatum,	-	00	15	
montanum White.		00	10	
parviflorum Small yellow,		50		00
pubescens Large yellow, fine,		50		00
SPECTABILE Large white and pink-	_	00		•
1—2 crown,	2	-00	10	00
2—3 crown, X,	3	00	15	
Goodyera Menziesii Flowers white, leaves spotted,		25		00
pubescens Good stock. Coll.,	_	50		00
repens,	1	00		0.0
var. With bright markings,	_	00		
Habenaria blepharioglottis (White-Fringed Orchid),	-	50		
bracteata Greenish,	1	00		
ciliaris Beautifully fringed, yellow,	1	25	5	0.0
dilatata (White,		25		00
Hookeri Flowers greenish,	1	50	8	00
hyperboria White,	1	50		
obtusata Small greenish,		75	4	00
psycodes Purple fringed,	1	50	8	00
Liparis liliifolia 4 in., purplish flowers, moist shades,	1	00	5	00
Loeselii Flowers greenish yellow, wet soils,		75	4	00
Orchis spectabilis (Showy Orchid). Pink purple				
flowers,	1	25	6	0.0
Pogonia ophioglossoides A bog plant with pale rose				1 300
flowers,		75	4	00
Spiranthes cernua (Ladies' Tresses). Flowers white,		00		00



Aspidium aculatum, var. Braunii, as it grows under our fern bower.

### FERNS.

The Ferns of New England are among the most charming of our Hardy Perennials. They are so easily grown that every park or yard may have them. If you wish to beautify a dark nook shut in by buildings or trees, where flowers will not thrive, try a few ferns and note the change. You can select from my list about 40 kinds those suited for almost any situation that will sustain plant life.

		10	100	1,000
Adiantum pedatum (Maidenhair). Graceful, clumps,	\$1	00	\$5 00	
Aspidium acrostichoides (Christmas Fern). Ever-				
green,		75	4 00	
Promii Evergreen 1 to 2 ft		25	6 00	
aculatum var. Braunii Evergreen, 1 to 2 ft.,		00	5 00	
cristatum A low evergreen, moist shades,		25	6 00	
var. Clintonianum Much larger,			8 00	
Filix-mas (Male Fern). Beautiful and rare,		50		
Goldianum Broad, light green fronds, 2 to 4 ft.,	_	50	8 00	
marginale Dark evergreen, rocky places,		00	5 00	
munitum An evergreen from Oregon,		25	6.00	
Noveboracense Moist, shady places,		75	4 00	
spinulosum A finely cut evergreen,	1	00	5 00	
var. dilatatum Broad fronds,	1.	25	6 00	
Thelypteris Wet, open places, 1 ft.,		75	4 00	
Asplenium angustifolium Rich shades, 1 to ft.,	1	25	6 00	
ebeneum Rocky places, 6 to 12 in.,	1	00	5 00	
Elemental Rocky places, o to 12 in.,		00	5 00	
Filix-foemina Fine tall fern, easily grown,		00	5 00	
thelypteroides,		00	5 00	
Trichomanes Evergreen, in tufts, 3 to 6 in.,		00	9 00	
Botrychium ternatum dissectum Fine cut leaves,	4	00	5 00	
Coll	1			
obliquum Oblique leaved. Coll.,		00		
Virginicum Light green, shades, 6 to 12 in.,		00		
Camptosorus rhizaphyllus (Walking Leaf). Fine,		00		
Cryptogramma acrostichoides Fine clumps, 4 to 8 in.,	1	25		
Cystopteris bulbifera. Bright green fern, moist soil,	1	0.0		
fragilie Finely cut fronds rocks	1	00		
(We have nearly 30,000 of these hardy ferns grow	wing	in	our nurs	ery, and

(We have nearly 30,000 of these hardy ferns growing in our nursery, and can usually meet any demands.)



Phegopteris	heve	conon	tera
Phegopteris	пеха	gonop	tera.

	10	100	1,000
Dicksonia punctilobula Forms large patches, 2 to 3			
ft., clumps,	\$1 00	\$5 00	
Lygodium palmatum (Climbing Fern). Climbing over			
bushes, 1 to 3 ft.,	1 50	8 00	
Onoclea sensibilis (Sensitive Fern). Wet soils, 1 to 2			
ft.,	75	4 00	
struthiopteris (Ostrich Fern). Fine, 1 to 6 ft.,	1 25	6 00	
Ophioglossum vulgatum (Adder's Tongue). Rare,	1 00	5 00	
Osmunda gracilis (Flowering Fern). Selected clumps.			
Coll.,	1 00	5 00	
Claytoniana Selected clumps. Coll.,	1 00	5 00	
cinnamomea (Cinnamon Fern). Selected. Coll.,	1 00	5 00	
Pellaea atropurpurea (Cliff Brake). Dry cliffs, X,	1 50		
densa (Oregon Cliff Brake). Clumps. Coll.,	1 00	5 00	
gracilis Fine for rock garden, 2 to 6 in.,	1 00	5 00	
Phegopteris Dryopteris (Beech Fern). 6 to 10 in.			
Neat,	75	4 00	
hexagonoptera Broad fronds, 7 to 12 in.,	1 00	5 00	
polypodoides Smaller and darker, 4 to 8 in.,	75	4 00	
Polypodium vulgare. (Polypody). Evergreen, on			
rocks, 3 to 6 in., clumps,	1 00	5 00	
falcatum From Oregon. Graceful, 6 to 15 in.,	1 25	5 00	
Woodsia Ilvensis Dry, exposed rocks, clumps,	1 00	5 00	
obtusa Rocks, neat, 6 to 12 in., clumps,	1 00	5 00	
Woodwardia angustifolia (Chain Fern). Wet soils,			
fine plants,	1 00	5 00	
Virginica Wet soils, 2 to 3 ft. Coll.,	1 00	5 00	
CLUD MOSSES	Sall Su		
CLUB MOSSES			
	10	100	1,000
Lycopodium dendroidum (Ground Pine). Used exten-			
sively as Christmas green, 4 to 8 in. Coll.,	\$1 25	\$5 00	
lucidulum (Shining Club Moss), 3 to 8 in. Coll.,	75	4 00	
Selaginella apus Light green creeper, wet soils. Coll.,	50	3 00	
rupestris Little tufts, dry soils, 1 to 3 in. Coll.,	1 00	5 00	

# Special Collection of Ferns.

The following collections of Ferns are made up to help in selecting for special wants, and should go by express or freight:

#### No. 1.—(\$3.00) For Open Sun Culture.

This collection is desirable for the open border, and, all being rather tall, can be grown as single specimens or for massing with or without flowers.

- 6 Onoclea struthiopteris,
- 6 Osmunda Claytoniana,
- 24 Dicksonia punctilobula,
- 6 Asplenium Felix-foemina.

#### No. 2 .- (\$3.00) For Dry, Shady Places.

These ferns will grow in a dry, shady place. Plant them where flowers as a rule do not thrive.

- 12 Asplidium acrostichoides,
- 12 Dicksonia punctilobula, 12 Osmunda Claytoniana.
- 12 Aspidium marginale,

#### No. 3.—(\$3.00) For Moist, Shady Places.

This collection is very fine and easily handled in moist, shady places, also for large rockery.

- 6 Adiantum pedatum,
- 6 Aspidium cristatum,
- 6 Aspidium acrostichoides,
- 6 Aspidium spinulosum,
- 6 Aspidium marginale,

- 6 Asplenium thelypteroides.
- 6 Asplenium Felix-foemina, 6 Phegopteris hexagonoptera,
- 6 Woodwardia Virginica.

#### No. 4 .- (\$3.00) For Wet, Open Ground.

These ferns are very useful for border of a lake or low, wet ground.

- 12 Aspidium Thelypteris,
- 12 Osmunda regalis,

12 Onoclea sensibilis,

12 Woodwardia Virginica.

### No. 5 .- (\$3.00) Low Evergreen ferns for Rockery in Shade.

This is a beautiful collection of low-growing Ferns and easily managed.

- 12 Asplenium ebeneum,
- 12 Polypodium vulgare,
- 12 Asplenium Trichomanes,
- 6 Woodsia obtusa.
- 12 Comptosorus rhizophyllus,

### No. 6.—(\$3.00) Low Evergreen Ferns for Dry, Rocky Ledge.

You will notice that some kinds are named in more than one collection. Such seem to thrive equally well in the localities named.

- 12 Asplenium Trichomanes.
- 12 Polypodium vulgare,

12 Woodsia obtusa,

12 Woodsia Ilvensis.

One-half Any One of the Above Collections for \$1.75.

Address.

### EDWARD GILLETT,

Southwick, Mass., U. S. A.